Capture | Detect | Discover





Mabtech provides well-designed ELISA kits for specific, sensitive, and robust measurement of analytes in solution. A comprehensive selection of ELISA kits is available for the analysis of cytokines, immunoglobulins, and apolipoproteins. For example, we offer ELISAs to detect the cytokine IFN-y for more than 15 different species.




| Quantify the native protein | Our specific mAbs are selected based on reactivity with endogenously derived proteins |
|-----------------------------|---|
| Use less sample material | We strive to develop ELISA kits with the lowest detection limits on the market |
| Made in Sweden | Research, development, production, and packing – all done in Stockholm |














ELISA analytes

Mabtech offers ELISA kits for a wide range of cytokines, immunoglobulins, and apolipoproteins.

Cytokines The ELISA kits are based on our platform of optimized mAb pairs. ELISA kits

are available for detection of a wide range of cytokines across many species. In particular, the IFN-y ELISA is available for more than 15 different species.

Immunoglobulins Mabtech provides kits for detection of IgG, IgA, IgM, IgE, and IgE^a. The human

and mouse Ig kits feature ALP-labeled detection antibodies for a faster assay procedure. We also produce antibodies suitable for use in antigen-specific ELISAs,

including antibodies specific for human and mouse ${\bf Ig}\ {\bf subclasses}.$

Apolipoproteins Apolipoproteins can be detected with our optimized kits for human ApoA1, ApoB,

ApoD, ApoE, ApoH, ApoJ, and ApoM, as well as mouse ApoA1, and ApoE. The ELISA


kits are suitable for analysis of cell supernatants and serum/plasma samples.



Sandwich ELISA principle

The ELISA technique enables sensitive quantification of analytes in solution. Combining the use of well-defined antibodies and reagents with a simple and versatile procedure, the assay provides a highly sensitive and specific method for measuring almost any analyte.


In a sandwich ELISA, mAbs specific for the analyte of interest are used to coat ELISA plates. Samples are then added in parallel with a serially diluted standard with known analyte concentrations. Detection of bound analyte is achieved by the addition of a biotinylated detection mAb followed by streptavidin-conjugated enzyme (ALP or HRP) and finally an appropriate colorimetric substrate. The resultant color change is directly proportional to the amount of analyte present in the sample and can be quantified using an ELISA reader. Detection mAbs directly conjugated to an enzyme may also be used.



Antigen-specific ELISA

Mabtech provides mAbs that can be used to detect antigen-specific IgG, IgA, IgM, IgE, and IgE^a. The presence of such antibodies in a sample can be demonstrated using an antigen-specific ELISA.

In an antigen-specific ELISA, the antigen of interest is used to coat the ELISA plate. Antigen-specific antibodies in a sample will bind the antigen and can be revealed by adding a secondary anti-Ig detection antibody. This approach is commonly used, for example, in diagnostic assays with microbial antigens to confirm infections. The antigen-specific ELISA is also suitable for evaluating immune responses in vaccinated individuals or immunized animals.




Schematic illustration of an antigen-specific ELISA.

Ig subclass reagents

Mabtech supplies mAbs specific for human and mouse Ig subclasses. These antibodies can be used in ELISA to determine Ig subclasses in a sample, thus providing detailed characterization of an immune response.

Subclass-specific detection antibodies can be used in order to obtain further information about the type of antigen-specific Ig response, as shown in the image below. This is a valuable approach both in reseach and in clinical assessments of, for example, immunodeficiencies characterized by production of a low level of one or more Ig subclasses.

Subclass-specific mAbs are available for human IgA1, IgG1, IgG2, IgG3, and IgG4 and for mouse IgG1, IgG2a/c, IgG2b, and IgG3.



Antigen-specific subclass ELISA. Antigen-specific IgG1, IgG2a, IgG2b, and IgG3 antibodies in serum from five immunized mice. PI: pre-immune.

Mabtech ELISA kits

Our platform of high-quality mAbs enables research on your own terms. We supply ELISA kits for research use in two formats: adaptable ELISA development kits and complete ELISA^{PRO} kits including all that is needed for a straightforward assay. Our ELISA^{PRO} kits feature pre-coated strip plates for reduced assay time and minimal assay variability.

ELISA development kit



- Capture mAb
- Biotinylated detection mAb
- ELISA standard
- Streptavidin–ALP/HRP

ELISAPRO kit



- Pre-coated 96-well strip plates
- Biotinylated detection mAb
- ELISA standard
- Streptavidin–HRP
- TMB substrate and stop solution
- Buffers

Supplementary Products

Several supplementary products are available to complement our kits and antibodies, ranging from Streptavidin—enzyme conjugates to ready-to-use ELISA substrates and ELISA buffers. The ELISA diluent, the Apo ELISA buffer, and the Assay buffer have been developed for use with Mabtech ELISAs and are able to prevent heterophilic antibody interference during analysis of serum/plasma samples.

| PRODUCT | SIZE | CODE |
|---------------------------------|------------|----------|
| Streptavidin-enzyme conjugates | | |
| Streptavidin-ALP | 1 ml | 3310-8 |
| Streptavidin-HRP | 1 ml | 3310-9 |
| Ready-to-use ELISA substrates | | |
| TMB ELISA Substrate | 120 ml | 3652-F10 |
| pNPP ELISA Substrate | 120 ml | 3652-p10 |
| ELISA buffers | | |
| Ready-to-use ELISA diluent | 2 x 120 ml | 3652-D2 |
| Ready-to-use Assay buffer | 2 x 120 ml | 3652-J2 |
| Apo ELISA buffer concentrate 5x | 2 x 120 ml | 3652-M2 |

Mabtech ELISA kits

| Human | | Monkov | |
|------------------------------------|-----------------------------------|------------------------|-----------------------------|
| Human | | Monkey | |
| ANALYTE | AVAILABLE ELISA KIT FORMATS | ANALYTE | AVAILABLE ELISA KIT FORMATS |
| ApoA1 | Development, Pro | ApoA1 | Development, Pro |
| АроВ | Development, Pro | АроВ | Development, Pro |
| ApoD | Pro | ApoE | Development |
| ApoE | Development, Pro | АроН | Pro |
| ApoH | Pro | GM-CSF | Development, Pro |
| ApoJ/Clusterin | Pro | IFN-α pan | Development, Pro |
| ApoM | Pro | IFN-γ | Development, Pro |
| GM-CSF | Development, Pro | IgA | Development |
| Granzyme A | Development | IgG | Development |
| Granzyme B | Development | IgM | Development |
| IFN-α2 | Development | IL-2 | Development, Pro |
| IFN-α pan | Development, Pro | IL-4 | Development, Pro |
| IFN-γ | Development, Pro | IL-5 | Development, Pro |
| IgA | Development | IL-6 | Development, Pro |
| IgE | Development, Pro | IL-8 (CXCL8) | Development |
| IgG | Development | IL-12 (p70) | Development, Pro |
| IgM | Development | IL-12/-23 (p40) | Development, Pro |
| IL-1α | Development | IL-13 | Development |
| IL-1β | Development, Pro | IL-17A | Development |
| IL-2 | Development, Pro | IL-21 | Development |
| IL-3 | Development | IL-23 | Development, Pro |
| IL-4 | Development, Pro | Perforin | Development, Pro |
| IL-5 | Development, Pro | TGF-β1 (Latent TGF-β1) | Development, Pro |
| IL-6 | Development, Pro | TNF-α | Development, Pro |
| IL-8 (CXCL8) | Development | Rat | |
| IL-10 | Development, Pro | IFN-v | Development |
| IL-12 (p70) | Development, Pro | • | Bevelopment |
| IL-12/-23 (p40) | Development, Pro | Cotton rat | |
| IL-13 | Development, Pro | IFN-y | Development |
| IL-17A | Development, Pro | · | · |
| IL-21 | Development | Rabbit | |
| IL-22 | Development Pro | IFN-γ | Development |
| IL-23 | Development, Pro | Cow | |
| IL-27 | Development | IFN-γ | Development, Pro |
| IL-29 (IFN-λ1) IL-31 | Development | IL-2 | Development Development |
| | Development Pro | IL-2 IL-4 | Development |
| Perforin TGF-β1 (Latent TGF-β1) | Development, Pro Development, Pro | IL-8 (CXCL8) | Development |
| Thioredoxin-1 | Development, Pro | IgG | Development |
| TNF-a | Development, Pro | Horse | Development |
| ΤΝΡ-α | Development, Pro | | |
| Mouse | | IFN-γ | Development |
| | Pro | Sheep | |
| ApoA1 | Pro | IFN-γ | Development |
| ApoE | Development, Pro | IL-4 | Development |
| IFN-γ IgA | Development | Pig | |
| IgE | Development | _ | |
| IgEa | Development | IFN-γ | Development |
| IgG | Development | IgG | Development |
| IgM | Development | Dog | |
| IL-1α | Development | IFN-y | Development |
| IL-14 | Development, Pro | IL-8 (CXCL8) | Development |
| IL-4 | Development, Pro | | |
| IL-5 | Development, Pro | Cat | |
| IL-6 | Development | IFN-γ | Development |
| IL-10 | Development | Ferret | |
| IL-10 IL-12 (p70) | Development, Pro | | Davidance |
| IL-12 (p/0) IL-12/-23 (p40) | Development, Pro | IFN-γ | Development |
| IL-17A | Development Development | Llama/Alpaca | |
| TNF-α | Development, Pro | IFN-γ | Development |
| | | | |



About Mabtech

Mabtech AB is a privately owned Swedish biotech company founded in 1986. We develop, manufacture, and market high-quality monoclonal antibodies and kits suitable for ELISA, ELISpot, and FluoroSpot. Because of our strong focus on research and continued efforts to optimize ELISpot and FluoroSpot, Mabtech has been a world leader in this field for many years. Our close international collaboration with both academia and industry is leading the way for future developments to help the research community achieve optimal results.